23 July 1980

FROM:	Acting Dep	puty Director o	of Security (PTOS)
SUBJECT:		or the DDA Log uly 1980 (U)		
1 Th			densing the separate of the third in	day por
One of will be involuded by the control of the cont	of these office lved in extensi arveys in light	ntinue on surveral America and ers has arrived ive residential tof the volati Additionally,	and personnel ile situation	
	,	, ,		, v
2. One to discuss pograms. The Sattempt to es	ossible funding SSA/DDA has agn stablish a pred tial security u	ded a meeting w g of residentia	with the SSA/DDA al security pro- ch the DDO in an the DDO will ecommended by	
				

AND METHODS INVOLVED

Approved For Release 2005/SFG CA-RDP84-00534R000100030050-8

- 5. During the reporting period, two officers from the Domestic Security Branch conducted a briefing and a security survey at the House Foreign Affairs Committee. This briefing survey was part of a continuing program on the part of the Domestic Security Branch which covers congressional committees, other than the oversight committees, which receive and store Agency classified material. (U)
- 6. A member of the Domestic Security Branch, accompanied by a representative of the Special Security Center, provided a briefing on document control procedures to staff members of the Federal Reserve Board. (U)
- 7. On 21-24 July 1980 two members of the Office of Security participated in field tests at South Building of
- 8. A two-man team is in Latin America Division area performing audio countermeasures inspections and security equipment maintenance, and one-man returned from where he repaired a defective alarm system. (C)
- 9. Headquarters has provided one man-each to EOSG and EAOSG for assistance with their technical inspections and security equipment maintenance program (C)
- 10. A member of the Safety Group provided approximately 40 smoke detectors, 10 portable escape ladders, and 15 portable fire extinguishers to Office of Finance personnel located at Key Building. This support action was at the request of personnel following 2 days of fire safety lectures presented by the Safety Group. (U)
- 11. A member of the Safety Group provided information to employees about the toxicity of the caulking compound being used by 25X1 Two employees, one female and one male, experienced transient effects from inhaling the fumes brought into the building by the air-conditioning system. 25X1 provided a tube of the caulking and according to the ingredients on the container, both employees will only experience the transient headache and nausea reported experience the day of exposure. (U)

Approved For Release 2005/12/14: CIA-RDP84-00534R000100030050-8

- 12. Three members of Information Systems Security Group departed on 21 July for an inspection trip of data processing facilities at a number of contractor sites in Washington State, California and Missouri. The trip is anticipated to last about 2 weeks. (A/IUO)
- 13. On 22 July, the Chief, Information Systems Security Group met with representatives of the ADP Audit Staff and Office of Finance for the purpose of developing access and accountability controls which would permit the auditors to utilize the computerized master files of the Generalized Accounting System (GAS) and the Financial Resource System (FRS). (A/IUO) (4)
- 14. On 18 July 1980. a status report concerning the site security plan was completed. Among the items mentioned in the status report were the following:

watchman contract was forwarded to and accepted by the Office of Logistics;

Clearance Division in regard to clearances for the watchmen and limited name checks on the construction workers who will be utilized

ments were finalized for the fencing, lighting, and trailer location at the site;

work by the prime contractor at the site continues with the grading and foundation excavating nearing completion. The contractor expects to pour concrete for the foundation starting by mid-August. (U)

25X1

25X1